

RADCOLUBE® CLP

SAFETY DATA SHEET

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS (CLP)

Issue Date: 17 February 2015 Revision Date: 30 March 2018 Revision Number: 3.0

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name: RADCOLUBE® CLP

Specifications: MIL-PRF-63460F, TYPE A – Standard CLP

Qualification Number: AR-16-10

Qualification Date: 3 October 2016

ISO 9001:2015 Certification Number: C2018-00035

Military Symbol: CLP NATO Code: S-758

National Stock Numbers (NSN): 9150-01-102-1473 0.5 oz. bottle with twist cap

9150-01-079-6124 4 oz. bottle with twist cap 9150-01-054-6453 1 pint bottle with trigger sprayer 9150-01-327-9631 1 liter bottle with trigger sprayer

9150-01-053-6688 1 gallon jug

1.2 Relevant identified uses of the substance or mixture and uses advised against

This product is for use in cleaning, lubricating and short-term preservation of small and large caliber military weapons, operating in the temperature range of -51° C to $+71^{\circ}$ C (-60° F to $+160^{\circ}$ F).

1.3 Details of the supplier of the safety data sheet

Headquarters and Manufacturing Facility Radco Industries, Inc. 700 Kingsland Drive Batavia, IL 60510 CAGE Code 6ZS16

Customer information number: 1-630-232-7966

1.4 Emergency Telephone Number

Advisory Office in case of poisoning: Chemtrec Chemtrec (North America): 1-800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Aquatic toxicity, acute hazards
Aquatic toxicity, chronic hazards
Aspiration hazard
Serious eye damage/eye irritation
Skin corrosion/irritation
Category 2
Category 2

2.1 Label elements

SAFETY DATA SHEET RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A – STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February 2015

Revision Date: 30 March 2018

Revision: 3.0





Hazard pictograms: Health Hazard Corrosive

Signal word: DANGER

Classification of mixture is in accordance with United Nations (UN) Globally Harmonized System of Classification and Labelling of Chemicals (GHS), sixth revised edition (2015), and United States Standard 29 CFR 1910 Occupational Safety and Health Standards.

Hazard statements

H304:	May be fatal if swallowed and enters airways.
H315:	Causes skin irritation.
H317:	May cause an allergic skin reaction.
H318:	Causes serious eye damage.
H413:	Harmful to aquatic life with long-lasting effects

Precaution statements

P101:	If medical advice is needed, have product container or label at hand.
P202:	Do not handle until all safety precautions have been read and understood.
P270:	Do not eat, drink or smoke when using this product.
P273:	Avoid release to the environment.
P280:	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P331 + P315:	IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Get immediate medical advice/attention.
P303 + P353:	IF ON SKIN (or hair): Rinse skin with water/shower.
P304 + P340 + P342 + P315:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms, get immediate medical advice/attention.
P305 + P351 + P338 + P310:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
P306 + P363:	IF ON CLOTHING: Wash contaminated clothing before reuse.
P404:	Store in a closed container.
P501:	Dispose of contents/container to in accordance with local/regional/national/international regulation.

2.2 Other hazards

PBT and vPvB

PBT and vPvB assessment is not available as chemical safety assessment has not been conducted.

NFPA Hazard IDHealth:1Health:1Flammability:1Flammability:1Reactivity:0Reactivity:0

SECTION 3. Composition/information on ingredients

3.1 Substances

Issue Date: 17 February 2015

Revision Date: 30 March 2018

Revision: 3.0

1-Decene, homopolymer, hydrogenated

Index number: Not available CAS number: 68037-01-4 EC number: 500-183-1

REACH number: 01-2119486452-34-XXXX

Synonyms: 1-Decene, dimer, hydrogenated; Polyalphaolefin

Naphthalenesulfonic acid, dinonyl-, calcium salt

Index number:Not availableCAS number:57855-77-3EC number:260-991-2REACH number:Not available

Synonyms: Calcium bis(dinonylnaphthalenesulphonate); calcium sulfonate

Other non-hazardous components

Index number: Not available CAS number: Trade Secret EC number: Trade Secret REACH number: Not available Synonyms: Trade Secret

3.2 Mixtures

Description of mixture:

Multicomponent mixture of synthetic base oils and additives.

Component	CAS Number	EC Number	%Content	Classification of Labeling	M-Factor
1-Decene, homopolymer, hydrogenated	68037-01-4	500-183-1	< 40%	Asp. Tox. 1 – H304	
Naphthalenesulfonic acid, dinonyl-, calcium salt	57855-77-3	260-991-2	Trade Secret	Aquatic Acute 3 – H401	0
				Eye Dam. 1 – H318	
				Skin Irrit. 2 – H315	
Other non-hazardous components	Trade Secret	Trade Secret	Trade Secret	Non-hazardous	0

M-Factor determinations are in in accordance with UN GHS, sixth revised edition (2015).

See SECTION 16 for full text of the toxicity categories and H-statements listed in this section.

Indicative occupational exposure limit values

Component	CAS Number	EC Number	Specific Concentration limits
1-Decene, homopolymer, hydrogenated	68037-01-4	500-183-1	None established
Naphthalenesulfonic acid, dinonyl-, calcium salt	57855-77-3	260-991-2	None established
Other non-hazardous components	Trade secret	Trade secret	None established

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Issue Date: 17 February 2015

Revision Date: 30 March 2018 Revision: 3.0

Eye contact

Upon accidental eye exposure, wash the eyes promptly with water for at least 20 minutes. If wearing contact lenses, remove them if safe to do so, and continue washing. Get medical attention immediately.

Ingestion

If swallowed, do not induce vomiting. Rinse mouth out with water. Get medical attention immediately.

Inhalation

If respiratory irritation, dizziness, or nausea occurs, move to fresh air and keep at rest in a comfortable position for breathing. If symptoms persist or unconsciousness occurs, seek immediate medical assistance.

Skin contact

Wash skin thoroughly with mild soap and plenty of water for at least 20 minutes. If irritation develops, seek medical advice.

Note to physicians

Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

Acute symptoms

Eye exposure symptoms

Direct eye exposure may lead to redness and lacrimation (crying tears).

Ingestion symptoms

Small amounts may cause nausea. Large amounts may lead to abdominal obstruction (cramps), constipation or diarrhea.

Inhalation symptoms

May cause irritation of the nose, throat, and lungs.

Skin exposure symptoms

Short-term exposure is not expected to cause irritation.

Delayed symptoms

Eye exposure symptoms

None expected, however seek medical attention if irritation persists.

Ingestion symptoms

None expected, however seek medical attention if abdominal obstruction, constipation or diarrhea persists.

Inhalation symptoms

None expected, however seek medical attention if respiratory irritation persists.

Skin exposure symptoms

Repeated exposure may lead to irritation. If rash develops, seek medical attention.

4.3 Indication of any immediate medical attention and special treatment needed

Suggestions for clinical testing and medical monitoring for delayed effects are not known. Use first aid when applicable, and seek guidance from a medical physician for specific treatment.

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media includes alcohol-resistant foam, carbon dioxide, dry chemical or water fog.

5.2 Special hazards arising from the substance or mixture

No data is available.

Issue Date: 17 February 2015

Revision Date: 30 March 2018

Revision: 3.0

5.3 Advice for firefighters

Fire-Fighting Equipment

Firefighter should wear normal protective equipment (full bunker gear) and positive-pressure contained breathing apparatus. Water can be used to cool fire-exposed containers, to protect personnel and to disperse vapors and spills. Water runoff can cause environmental damage. Dike and collect water used to fight fires.

Special Fire-Fighting Procedures

Use water spray to cool fire-exposed containers and structures. If a rail or tank truck is involved in a fire, isolate for 800 meters (0.5 mile) in all directions. Shut off fuel to fire if it is possible to do so without hazard. If this is impossible, withdraw from the area and let the fire burn out under controlled conditions. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tank due to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear personal protective equipment (PPE). Eliminate sources of ignition, if safe to do so. Avoid breathing vapors or mist. Evacuate to designated safe areas.

For emergency responders

If possible, move individual to safe area, and treat symptomatically.

6.2 Environmental precautions

Contain spill, if safe to do so. Prevent from entering sewers or drains.

6.3 Methods and material for containment and cleaning up

Use oil absorbent material to soak up product on the ground. Should this product enter sewers or drains, it should be pumped out into an open vessel. The recovered material should be discarded as hazardous waste.

6.4 Reference to other sections

If appropriate, refer to SECTION 8 and SECTION 13 for additional information.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Use personal protective equipment (PPE) when handling this product. Smoking, eating and drinking should be prohibited in the application area.

7.2 Conditions for safe storage, including any incompatibilities

Do not store in open or unlabeled containers. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

This product is for cleaning, lubricating and short-term preservation of small and large caliber weapons, operating in the temperature range of -51 to +71°C (-60 to +60°F).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

None exposure limits have been established for any of the disclosed components.

Issue Date: 17 February 2015 Revision Date: 30 March 2018

Revision: 3.0

Biological exposure limits

None established for any of the disclosed components.

8.2 Exposure controls

Appropriate engineering controls

Practice general industrial hygiene. Do not eat, drink or smoke near product. Wash hands after handling. Remove clothing and wash separate from other laundry.

Personal protective equipment (PPE)

Eye/face protection

Safety glasses, chemical safety goggles and/or face shields are recommended when handling this product.

Skin protection

For extended handling, wear oil resistant gloves such as neoprene. Nitrile gloves may be appropriate for short handling periods use. Contact a government approved or accredited manufacturer for specific recommendations.

Other protections

Wear protective clothing ensuring minimal skin exposure. Protective clothing should be chemically impervious to oils and other solvents.

Respiratory protection

Use with adequate ventilation. Avoid breathing vapor. If heated and ventilation is inadequate, use NIOSH certified respirator, which will protect against organic vapor.

Environmental exposure controls

Do not allow product to reach ground water, water course, or sewage systems. Stop leaks, if safe to do so. Contain spills with absorbent or adsorbent materials.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

ties
Transparent, amber liquid.
Petroleum fragrance
Not available
Non-flammable
Not available
Not available
188°C (370°F)
174°C (345°F)
> 350°C (662°F)
<-63°C (-81.4°F)
Non-oxidizing
Not available
Not applicable
0.91
Insoluble
Not available
< 0.01 mmHg at 20°C (68°F)
27 mm ² /s (cSt) at 20°C (68°F)

Issue Date: 17 February 2015 Revision Date: 30 March 2018

Revision: 3.0

9.2 Other information

No further information is available.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Non-reactive in its original state.

10.2 Chemical stability

Stable in its original state.

10.3 Possibility of hazardous reactions

Does not occur.

10.4 Conditions to avoid

Oxidizing materials

10.5 Incompatible materials

Keep away from strong oxidizing or reducing agents, including acids, caustics, chlorites (bleach), halogens and peroxides.

10.6 Hazardous decomposition products

Decomposition of this product under fire conditions may produce carbon oxides, phenols, sulfur oxides, sulfates, and other decomposition products.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	Method	Species	Result
1-Decene, homopolymer, hydrogenated	Dermal	Rat	LD ₅₀ > 2000 mg/kg
	Inhalation	Rat	$LC_{50} = 5.0 \text{ mg/L after 1 hour}$
	Oral	Rat	LD ₅₀ > 2000 mg/kg
Naphthalenesulfonic acid, dinonyl-, calcium salt	Dermal	Rat	LD ₅₀ > 10,000 mg/kg
	Inhalation	Rat	LC ₅₀ > 9000 mg/kg
	Oral	Rat	LD ₅₀ > 2500 mg/kg
Other non-hazardous components			Not expected to be hazardous.

Aspiration hazard	Test Method	Species	Result
1-Decene, homopolymer, hydrogenated	OECD 403	Rat	Aspiration hazard, Category 1
Naphthalenesulfonic acid, dinonyl-, calcium salt			No data available
Other non-hazardous components			No data available

Carcinogenicity	Results
1-Decene, homopolymer, hydrogenated	Not expected to be carcinogenic.
Naphthalenesulfonic acid, dinonyl-, calcium salt	Not expected to be carcinogenic.
Other non-hazardous components	Not expected to be carcinogenic.

Eye damage / irritation	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 405	Rabbit	Not irritating
Naphthalenesulfonic acid, dinonyl-, calcium salt			Causes serious eye damage.
Other non-hazardous components			Not expected to be hazardous.

Germ cell mutagenicity	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 471	S. typhimurium	Not mutagenic

Issue Date: 17 February 2015
Revision Date: 30 March 2018

Revision: 3.0

Naphthalenesulfonic acid, dinonyl-, calcium salt	AMES Test	 Not mutagenic
Other non-hazardous components		 Not mutagenic

Reproductive toxicity	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 415	Rat	No reproductive harm
Naphthalenesulfonic acid, dinonyl-, calcium salt			No data available
Other non-hazardous components			Not expected to be hazardous.

Respiratory sensitization	Results
1-Decene, homopolymer, hydrogenated	No data available
Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	Not expected to be hazardous.

Skin sensitization	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 406	Guinea pig	Not sensitizing
Naphthalenesulfonic acid, dinonyl-, calcium salt		Human	Not sensitizing
Other non-hazardous components			Not sensitizing

Skin corrosion/irritation	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 404	Rabbit	Not irritating
Naphthalenesulfonic acid, dinonyl-, calcium salt	OECD 404	Rabbit	Irritant
Other non-hazardous components			Not expected to be hazardous.

Specific target organ toxicity (STOT)-repeated exposure	Results
1-Decene, homopolymer, hydrogenated	No data available
Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	Not expected to be hazardous.

Specific target organ toxicity (STOT)-single exposure	Results
1-Decene, homopolymer, hydrogenated	No data available
Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	Not expected to be hazardous.

11.2 Other information

See SECTION 16 for toxicity references.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic Toxicity	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 203	D. magna	NOEL = 125 mg/L after 21 days
	OECD 211	O. mykiss	LL ₅₀ > 1000g/L after 96 hours
	DIN 38412-8	P. putida	EC ₅₀ > 10g/L after 16 hours
Naphthalenesulfonic acid, dinonyl-, calcium salt		Algae	NOEC > 0.27 mg/L after 72 hours
		Daphnia	EC ₅₀ > 0.27 mg/L after 48 hours
		Fish	LC ₅₀ > 0.28 mg/L after 96 hours
Other non-hazardous components			Not expected to be hazardous.

Terrestrial Toxicity	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 222	Earthworm	LC50 > 1000 mg/kg after 56 days
Naphthalenesulfonic acid, dinonyl-, calcium salt			No data available
Other non-hazardous components			Not expected to be hazardous.

12.2 Persistence and degradability

Issue Date: 17 February 2015 Revision Date: 30 March 2018

Revision: 3.0

Biodegradation	Test Method	Results
1-Decene, homopolymer, hydrogenated	OECD 301B	Not readily biodegradable
Naphthalenesulfonic acid, dinonyl-, calcium salt		Not readily biodegradable
Other non-hazardous components		No data available

12.3 Bioaccumulative potential

Bioconcentration Factor (BCF)	Results
1-Decene, homopolymer, hydrogenated	No data available
Naphthalenesulfonic acid, dinonyl-, calcium salt	BCF = 3.16
Other non-hazardous components	No data available

Partition Coefficient n-octanol / water (Log Kow)	Results
1-Decene, homopolymer, hydrogenated	Log K _{ow} = 10.09
Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	No data available

12.4 Mobility in soil

Soil Mobility	Results
1-Decene, homopolymer, hydrogenated	No data available
Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	No data available

12.5 Results of PBT and vPvB assessment

Chemical	Results
1-Decene, homopolymer, hydrogenated	The substance is not PBT / vPvB.
Naphthalenesulfonic acid, dinonyl-, calcium salt	The substance is not PBT / vPvB.
Other non-hazardous components	No data available

12.6 Other adverse effects

No further information is available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

This unused material, when discarded or disposed of, is not specifically listed as a hazardous waste in Federal regulations; however, it could be considered hazardous if it meets U.S. EPA (40 CFR Subpart C) criteria for being toxic, corrosive, ignitable, or reactive. This material could also become hazardous waste if it is mixed with or meets a listed hazardous waste. If it is a hazardous waste, regulations in 40 CFR 262-266, 268, 270, and 279 may apply.

SECTION 14. TRANSPORTATION INFORMATION

14.1 UN Number

Not regulated

14.2 UN proper shipping name

Not applicable

Issue Date: 17 February 2015 Revision Date: 30 March 2018

Revision: 3.0

14.3 Transport hazard class

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

May be harmful to aquatic environment with long-lasting effects.

14.6 Special precautions for user

See SECTION 2 for special precautions.

14.7 Transport in bulk per Annex II of MARPOL73/78 and the IBC Code

--

14.8 Other transport information

Canada Transport - Transportation of Dangerous Goods (TDG)

Not regulated

International Air Transport Association (IATA)

Not regulated

International Carriage of Dangerous Goods by Inland Waterways (AND)

Not regulated

International Carriage of Dangerous Goods by Rail (RID)

Not regulated

International Carriage of Dangerous Goods by Road (ADR)

Not regulated

International Civil Aviation Organization (ICAO)

Not regulated

International Maritime Dangerous Goods Code (IMDG Code)

Not regulated

United States Department of Transportation (DOT)

Not regulated

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australia Inventory (AICS)

All the ingredients are listed.

California Proposition 65

This product does not contain any chemicals known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Canadian Domestic Substances List/Non-Domestic Substances List (DSL/NDSL)

All the ingredients are listed.

China Inventory of Existing Chemical Substances (IECSC)

All the ingredients are listed.

Issue Date: 17 February 2015

Revision Date: 30 March 2018

Revision: 3.0

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Reportable Quantity

This product is not reportable under 40 CFR Part 302.4.

International Agency for Research on Cancer (IARC)

None of the ingredients are listed.

Japan Existing and New Chemical Substances (ENCS)

All the ingredients are listed.

Korean Existing and Evaluated Chemical Substances (KECL)

All the ingredients are listed.

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All the ingredients are listed.

SARA Title III Section 302 Extremely Hazardous Substances (40 CFR Part 355)

This product is not regulated under Section 302 of SARA and 40 CFR Part 355.

SARA Title III Section 313 (40 CFR Part 372)

This product is not regulated under Section 313 of SARA and 40 CFR Part 372.

SARA Title III Sections 311/312 Hazardous Categorization (40 CFR Part 370)

Hazardous categories for this product are:

Acute = Yes Chronic = No Fire = No Pressure = No Reactive = No

United States Toxic Substances Control Act (TSCA)

All the ingredients are listed.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been conducted.

SECTION 16. OTHER INFORMATION

Safety Data Sheet Creation Date: 17 February 2015 Safety Data Sheet Revision Date: 30 March 2018

Revision Number: 3.0

THIS INFORMATION RELATES TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. SUCH INFORMATION STATED IS TO THE BEST OF RADCO'S KNOWLEDGE AND BELIEF, ACCURATE AND RELIABLE AS OF THE DATE COMPILED. HOWEVER, NO REPRESENTATION, WARRANTY OR GUARANTEE IS MADE TO ITS ACCURACY, RELIABILITY, OR COMPLETENESS, AND RADCO DOES NOT ACCEPT LIABILITY FOR ANY LOSS OR DAMAGE THAT MAY OCCUR FROM THE USE OF THIS INFORMATION. FINAL DETERMINATION OF SUITABILITY OF ANY MATERIAL IS THE SOLE RESPONSIBILITY OF THE USER. ALL MATERIAL SHOULD BE USED WITH CAUTION TO GUARD AGAINST UNKNOWN HAZARDS. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, RADCO DOES NOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

RADCOLUBE® is a registered trademark of Radco Industries, Inc.

Toxicological References

"Calcium bis(dinonylnaphthalenesulphonate)." *National Center for Biotechnology Information. PubChem Compound Database.* U.S. National Library of Medicine, 8 Aug. 2005. Web. 11 Apr. 2017.

"Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated." *Registration Dossier - ECHA*. European Chemicals Agency, [no date]. Web. 11 Apr. 2017.

"Notified classification and labelling according to CLP criteria of Calcium bis(dinonylnaphthalenesulphonate), CAS 57855-77-3." *Notification Details - CL Inventory*. European Chemicals Agency, [no date]. Web. 11 Apr. 2017.

Issue Date: 17 February 2015

Revision Date: 30 March 2018
Revision: 3.0

Globally Harmonized System of Classification and Labelling of Chemicals: (GHS). 6th ed. New York: United Nations, 2015. Print.

Definitions

Asp. Tox. 1	See Aspiration hazard, category 1 definition.
Aspiration hazard, category 1	Hydrocarbons with kinematic viscosity ≤ 20.5 mm ² /s.
EC number	European Community number
EC50	Concentration that effects 50% of the test population.
EU	European Union
Eye Dam. 1	See Serious Eye Damage, Category 1 for definition.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H401	Toxic to aquatic life.
HMIS	Hazardous Materials Identification System
LC50	Lethal concentration that causes 50% death in test population.
LD50	Lethal dose that causes 50% death in test population.
LL50	Loading test rate that causes 50% death in test population.
M-Factor	Multiplying factor for substances that are toxic to aquatic environment.
NFPA	National Fire Protection Association
NOAEL	No observed adverse effect level
OECD	Organisation for Economic Co-operation and Development
OECD 222	OECD Guideline 222: Earthworm Reproduction Test (Eisenia fetida/Eisenia andrei)
OECD 301B	OECD Guideline 301 B: (Ready Biodegradability: CO2 Evolution Test)
OECD 403	OECD Guideline 403: Acute Inhalation Toxicity
OECD 404	OECD Guideline 404: Acute Dermal Irritation/Corrosion Test
OECD 405	OECD Guideline 405: Acute Eye Irritation/Corrosion Test
OECD 406	OECD Guideline 406: Skin Sensitization Test
PBT	Persistence Bioaccumulation and Toxicity
Serious eye damage, Category 1	A material that causes corneal opacity, iritis, conjunctival redness or conjunctival edema and does not fully
	reverse after 21 days.
Skin corrosion/irritation, Category 2	Inflammation, alopecia (limited area), hyperkeratosis, hyperplasia, and scaling that fully reverses after 14 days.
Skin Irrit. 2	See Skin corrosion/irritation, Category 2 for definition.
UN	United Nations
US	United States of America
vPvB	Very persistent and very bioaccumulative