



# RADCOLUBE® FR457

## Safety Data Sheet

### MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic

Issue date: 1/2/2012

Revision date: 4/9/2024

Supersedes: 3/12/2024

Version: 8.1

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 1: Identification

### 1.1. Identification

Trade name: RADCOLUBE® FR457  
Specification: MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic

National Stock Number(s) (NSN): 9150-01-113-2045 (Oblong Gallon)  
9150-01-113-2046 (5 Gallon Pail)  
9150-01-113-2047 (55 Gallon Drum)

### 1.2. Recommended use and restrictions on use

Use of the substance/mixture: Fire-resistant hydraulic fluid for hydraulic systems which are accumulator loaded and operate above 600 pounds per square inch (lb/in<sup>2</sup>) gauge.  
Use of the substance/mixture: Lubricant

### 1.3. Supplier

#### Manufacturer

Radco Industries Inc.  
CAGE Code 6ZS16  
700 Kingsland Drive  
Batavia, Illinois 60510  
United States  
T (630) 232-7966  
[www.radcoind.com](http://www.radcoind.com)

### 1.4. Emergency telephone number

Emergency number: For Chemical Emergency Call CHEMTREC 24hr/day 7days/week  
Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-741-5970  
(collect calls accepted)

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### GHS US classification

Specific target organ toxicity (repeated exposure) Category 1	H372	Causes damage to organs (Skin) through prolonged or repeated exposure (Dermal)
Hazardous to the aquatic environment – Chronic Hazard Category 1	H410	Very toxic to aquatic life with long lasting effects

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

# RADCOLUBE® FR457

## MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### GHS US labeling

Hazard pictograms (GHS US):



Signal word (GHS US):

Danger

Hazard statements (GHS US):

H372 - Causes damage to organs (Skin) through prolonged or repeated exposure (Dermal)

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (GHS US):

P260 - Do not breathe fume, mist, spray, vapors.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P314 - Get medical advice/attention if you feel unwell.

P391 - Collect spillage.

P501 - Dispose of contents/container to an approved waste disposal plant.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
4-tert-Butylphenyl diphenyl phosphate	CAS-No.: 56803-37-3	30 – 35	Flam. Liq. 4, H227 STOT RE 1, H372 Aquatic Chronic 1, H410
Triphenyl phosphate	CAS-No.: 115-86-6	≤ 25	Not classified
tris(4-tert-butylphenyl) phosphate	CAS-No.: 68937-40-6	10 – 15	Flam. Liq. 4, H227 STOT RE 1, H372 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general:

Call a physician immediately.

First-aid measures after inhalation:

Remove person to fresh air and keep comfortable for breathing. Move the affected person away from the contaminated area and into the fresh air. Immediately call a poison center or doctor/physician. Call a physician immediately. Call a doctor.

First-aid measures after skin contact:

Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash skin with plenty of water.

# RADCOLUBE® FR457

## MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

First-aid measures after eye contact: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse eyes with water as a precaution.

First-aid measures after ingestion: Rinse mouth out with water. Immediately consult a doctor/medical service. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

---

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Dry chemical, CO<sub>2</sub>, dry sand, or alcohol-resistant foam. Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Fire hazard: Not easily combustible.

Hazardous decomposition products in case of fire: On burning: release of toxic and corrosive gases/vapours (phosphorus oxides, carbon monoxide - carbon dioxide).

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting: Use self-contained breathing apparatus and chemically protective clothing. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures: Clean up any spills as soon as possible, using an absorbent material to collect it.

#### 6.1.1. For non-emergency personnel

Protective equipment: Wear recommended personal protective equipment.

Emergency procedures: Do not breathe dust/fume/gas/mist/vapors/spray. Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.1.2. For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment. Harmful to aquatic life with long lasting effects.

### 6.3. Methods and material for containment and cleaning up

For containment: Cover spill with non combustible material, e.g.: sand, earth, vermiculite. Collect spillage.

# RADCOLUBE® FR457

## MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for cleaning up: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This material and its container must be disposed of in a safe way, and as per local legislation.

Other information: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling: Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Handling temperature: ≤ 65 °C

Hygiene measures: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Storage temperature: ≤ 65 (≤ 65) °C

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

RADCOLUBE® FR457	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Triphenyl phosphate
ACGIH OEL TWA	3 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: Cholinesterase inhib. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2023
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Triphenyl phosphate
OSHA PEL TWA	3 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>tris(4-tert-butylphenyl) phosphate (68937-40-6)</b>	
No additional information available	
<b>4-tert-Butylphenyl diphenyl phosphate (56803-37-3)</b>	
No additional information available	

**RADCOLUBE® FR457****MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Triphenyl phosphate (115-86-6)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Triphenyl phosphate
ACGIH OEL TWA	3 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: Cholinesterase inhib. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2023
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Triphenyl phosphate
OSHA PEL TWA	3 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

**8.2. Appropriate engineering controls**

Appropriate engineering controls: Ensure good ventilation of the work station.

Environmental exposure controls: Avoid release to the environment.

**8.3. Individual protection measures/Personal protective equipment**

<b>Eye protection:</b>
Chemical goggles or face shield. Safety glasses
<b>Skin and body protection:</b>
Long sleeved protective clothing
<b>Respiratory protection:</b>
In case of inadequate ventilation wear respiratory protection. [In case of inadequate ventilation] wear respiratory protection.

**Personal protective equipment symbol(s):****SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Appearance:	Liquid.
Color:	Blue
Odor:	slight
Odor threshold:	No data available

**RADCOLUBE® FR457****MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

pH:	No data available
Melting point:	No data available
Freezing point:	< -18 °C Pour point
Boiling point:	260 °C at 13.3 hPa
Flash point:	246 °C Closed cup
Relative evaporation rate (butyl acetate=1):	No data available
Flammability:	Not flammable Not self-igniting.
Vapor pressure:	1.08 mPa at 20°C (68°F)
Relative vapor density at 20°C:	No data available
Relative density:	No data available
Density:	1.17 g/ml at 20°C (68°F)
Solubility:	Water: < 0.1 g/100ml
Partition coefficient n-octanol/water (Log Pow):	4.85 at 25°C
Auto-ignition temperature:	No data available
Decomposition temperature:	> 234 °C
Viscosity, kinematic:	38.5 – 45.5 mm <sup>2</sup> /s at 40°C (104°F)
Viscosity, dynamic:	No data available
Explosion limits:	No data available
Explosive properties:	Not explosive.
Oxidizing properties:	Not classified.

**9.2. Other information**

No additional information available

---

**SECTION 10: Stability and reactivity****10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid**

None under recommended storage and handling conditions (see section 7).

**RADCOLUBE® FR457****MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**10.5. Incompatible materials**

Oxidizing agent. Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

Acute toxicity (oral):	Not classified
Acute toxicity (dermal):	Not classified
Acute toxicity (inhalation):	
Skin corrosion/irritation:	Not classified
Carcinogenicity:	Not classified
Aspiration hazard:	Not classified
Viscosity, kinematic:	38.5 – 45.5 mm <sup>2</sup> /s at 40°C (104°F)
STOT-single exposure:	Not classified
STOT-repeated exposure:	Causes damage to organs (Skin) through prolonged or repeated exposure (Dermal).
Reproductive toxicity:	Not classified

**RADCOLUBE® FR457**

LD50 oral rat:	> 5000 ml/kg
LD50 dermal rabbit:	> 2000 mg/kg
LC50 Inhalation - Rat:	> 0.4 mg/l/4h

**tris(4-tert-butylphenyl) phosphate (68937-40-6)**

LD50 oral rat:	> 5000 mg/kg body weight (OECD 401 method)
LD50 dermal rabbit:	> 2000 mg/kg body weight (OECD 402 method)

**4-tert-Butylphenyl diphenyl phosphate (56803-37-3)**

LD50 oral rat:	> 5000 mg/kg body weight (OECD 401 method)
LD50 dermal rabbit:	> 2000 mg/kg body weight (OECD 402 method)

**Triphenyl phosphate (115-86-6)**

LD50 oral rat:	> 20000 mg/kg body weight (OECD 401 method)
LD50 dermal rabbit:	> 10000 mg/kg body weight (OECD 402 method)

**tris(4-tert-butylphenyl) phosphate (68937-40-6)**

Serious eye damage/irritation:	Not classified
--------------------------------	----------------

**4-tert-Butylphenyl diphenyl phosphate (56803-37-3)**

Serious eye damage/irritation:	Not classified
--------------------------------	----------------

**RADCOLUBE® FR457****MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Triphenyl phosphate (115-86-6)</b>	
Serious eye damage/irritation:	Not classified
<b>tris(4-tert-butylphenyl) phosphate (68937-40-6)</b>	
Respiratory or skin sensitization:	Not classified
<b>4-tert-Butylphenyl diphenyl phosphate (56803-37-3)</b>	
Respiratory or skin sensitization:	Not classified
<b>Triphenyl phosphate (115-86-6)</b>	
Respiratory or skin sensitization:	Not classified
<b>tris(4-tert-butylphenyl) phosphate (68937-40-6)</b>	
Germ cell mutagenicity:	Not classified
<b>4-tert-Butylphenyl diphenyl phosphate (56803-37-3)</b>	
Germ cell mutagenicity:	Not classified
<b>Triphenyl phosphate (115-86-6)</b>	
Germ cell mutagenicity:	Not classified
<b>RADCOLUBE® FR457</b>	
IARC group:	Not classified
National Toxicity Program (NTP) Status:	Not classified
<b>RADCOLUBE® FR457</b>	
NOAEL (animal/male, F0/P):	107.5 mg/kg body weight 90 days, oral
NOAEL (animal/female, F0/P):	124.8 mg/kg body weight 90 days, oral
<b>tris(4-tert-butylphenyl) phosphate (68937-40-6)</b>	
NOAEL (dermal,rat/rabbit,90 days):	≈ 10 mg/kg body weight (OECD 410 method)
STOT-repeated exposure:	Causes damage to organs through prolonged or repeated exposure.
<b>4-tert-Butylphenyl diphenyl phosphate (56803-37-3)</b>	
NOAEL (dermal,rat/rabbit,90 days):	10 mg/kg body weight (OECD 410 method)
STOT-repeated exposure:	Causes damage to organs through prolonged or repeated exposure.
<b>Triphenyl phosphate (115-86-6)</b>	
NOAEL (dermal,rat/rabbit,90 days):	1000 mg/kg body weight (EPA OPPTS 870.3200)



**RADCOLUBE® FR457****MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**SECTION 12: Ecological information****12.1. Toxicity**

Ecology - general: Very toxic to aquatic life with long lasting effects.

<b>RADCOLUBE® FR457</b>	
LC50 - Fish [1]:	0.8 mg/l <i>Ictalurus punctatus</i> (Channel catfish)
EC50 - Crustacea [1]:	202 ng/l <i>Daphnia magna</i> (Water flea)
ErC50 algae:	3 mg/l
NOEC (chronic):	0.0399 mg/l <i>Daphnia magna</i> (Water flea)

**tris(4-tert-butylphenyl) phosphate (68937-40-6)**

LC50 - Fish [1]:	0.8 mg/l <i>Ictalurus punctatus</i> (Channel catfish)
EC50 - Crustacea [1]:	202 µg/l <i>Daphnia magna</i> (Water flea)
EC50 - Crustacea [2]:	289 µg/l <i>Daphnia magna</i> (Water flea)
ErC50 algae:	3 mg/l Source: ECHA registration dossier

**4-tert-Butylphenyl diphenyl phosphate (56803-37-3)**

LC50 - Fish [1]:	0.8 mg/l <i>Ictalurus punctatus</i> (Channel catfish)
EC50 - Crustacea [1]:	343 µg/l <i>Daphnia magna</i> (Water flea)
EC50 - Other aquatic organisms [1]:	1.9 mg/l <i>Chironomus tentans</i>

**Triphenyl phosphate (115-86-6)**

LC50 - Fish [1]:	0.4 mg/l <i>Oncorhynchus mykiss</i> (Rainbow trout)
LC50 - Other aquatic organisms [1]:	0.18 mg/l Source: ECHA registration dossier
EC50 - Crustacea [1]:	2.41 mg/l <i>Daphnia magna</i> (Water flea)
LOEC (chronic):	0.931 mg/l Species: <i>Daphnia magna</i> (Water flea), 21 days
NOEC (chronic):	0.254 mg/l <i>Daphnia magna</i> (Water flea)

**12.2. Persistence and degradability**

<b>Triphenyl phosphate (115-86-6)</b>	
Persistence and degradability:	Biodegradable in the soil. Readily biodegradable in water.

**12.3. Bioaccumulative potential**

<b>RADCOLUBE® FR457</b>	
BCF - Fish [1]:	1850 mg/kg
Partition coefficient n-octanol/water (Log Kow):	4.85 at 25°C

**RADCOLUBE® FR457****MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>tris(4-tert-butylphenyl) phosphate (68937-40-6)</b>	
Partition coefficient n-octanol/water (Log Pow):	4.68
<b>4-tert-Butylphenyl diphenyl phosphate (56803-37-3)</b>	
Partition coefficient n-octanol/water (Log Pow):	5.12 Source: Hazardous Substances Data Bank
<b>Triphenyl phosphate (115-86-6)</b>	
BCF - Fish [1]:	144 mg/l (18 days, Species: Oryzias latipes, Flow-through system, Freshwater, Experimental data, Fresh weight)
BCF - Other aquatic organisms [1]:	43 mg/l (Species: Lemna sp., Literature data, Chronic)
Partition coefficient n-octanol/water (Log Pow):	4.63 (OECD 107 method)
Bioaccumulative potential:	The substance has low potential for bioaccumulation.

**12.4. Mobility in soil**

<b>tris(4-tert-butylphenyl) phosphate (68937-40-6)</b>	
Mobility in soil:	2937000 Source: EPI Suite
<b>4-tert-Butylphenyl diphenyl phosphate (56803-37-3)</b>	
Mobility in soil:	22650 Source: EPI Suite
<b>Triphenyl phosphate (115-86-6)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc):	3.4 – 3.55 (calculated value)
Ecology - soil:	Potential for mobility in soil is slight.

**12.5. Other adverse effects**

No additional information available

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Regional waste regulation:	Disposal must be done according to official regulations.
Waste treatment methods:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations:	Disposal must be done according to official regulations.

**SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA / ICAO / ADN / RID / ADG

# RADCOLUBE® FR457

## MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 14.1. UN number

DOT NA No:	UN3082
UN-No.:	UN3082
UN-No. (IMDG):	3082
UN-No. (IATA):	3082

### 14.2. UN proper shipping name

Proper Shipping Name (DOT):	Environmentally hazardous substances, liquid, n.o.s. (triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10% to 48% triphenyl phosphates)
Proper Shipping Name (TDG):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10% to 48% triphenyl phosphates)
Proper Shipping Name (IMDG):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10% to 48% triphenyl phosphates)
Proper Shipping Name (IATA):	Environmentally hazardous substance, liquid, n.o.s. (triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10% to 48% triphenyl phosphates)
Transport document description (DOT):	UN3082 Environmentally hazardous substances, liquid, n.o.s. (triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10% to 48% triphenyl phosphates), 9, III
Transport document description (TDG):	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10% to 48% triphenyl phosphates), 9, III
Transport document description (IMDG):	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10% to 48% triphenyl phosphates), 9, III, MARINE POLLUTANT (246°C c.c.)
Transport document description (IATA):	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (triphenyl phosphate, tert-butylated triphenyl phosphate mixtures containing 10% to 48% triphenyl phosphates), 9, III

### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT):	9
Hazard labels (DOT):	9



#### TDG

Transport hazard class(es) (TDG):	9
Hazard labels (TDG):	9


# RADCOLUBE® FR457

## MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---




### IMDG

Transport hazard class(es) (IMDG):

9

Hazard labels (IMDG):

9




### IATA

Transport hazard class(es) (IATA):

9

Hazard labels (IATA):

9



### 14.4. Packing group

Packing group (DOT):

III

Packing group (TDG):

III

Packing group (IMDG):

III

Packing group (IATA):

III

### 14.5. Environmental hazards

Dangerous for the environment:

Yes

Marine pollutant:

Yes



Other information:

No supplementary information available.

### 14.6. Special precautions for user

#### DOT

UN-No.(DOT):

UN3082

**RADCOLUBE® FR457**

**MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102):	8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx):	155
DOT Packaging Non Bulk (49 CFR 173.xxx):	203
DOT Packaging Bulk (49 CFR 173.xxx):	241
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27):	No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75):	No limit
DOT Vessel Stowage Location:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
<b>TDG</b>	
UN-No.:	UN3082

**RADCOLUBE® FR457****MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## TDG Special Provisions:

16 - 1) The technical name of the most dangerous substance related to the primary class must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(i)(A) of Part 3, Documentation. The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4, Dangerous Goods Safety Marks.

2) subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical: a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act", 99 - (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, may be handled, offered for transport or transported as UN3077 if there is no visible liquid when the dangerous goods are loaded into a means containment and during transport. (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous goods that could endanger public safety. SOR/2014-306 UN3077, UN3082 SOR/2014-306

Explosive Limit and Limited Quantity Index: 5 L  
Excepted quantities (TDG): E1  
Emergency Response Guide (ERG) Number: 171

**IMDG**

Special provision (IMDG): 274, 335, 969  
Limited quantities (IMDG): 5 L  
Excepted quantities (IMDG): E1  
Packing instructions (IMDG): LP01, P001  
Packing provisions (IMDG): PP1  
IBC packing instructions (IMDG): IBC03  
Tank instructions (IMDG): T4  
Tank special provisions (IMDG): TP1, TP29  
EmS-No. (Fire): F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE  
EmS-No. (Spillage): S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS  
Stowage category (IMDG): A

# RADCOLUBE® FR457

## MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### IATA

PCA Excepted quantities (IATA):	E1
PCA Limited quantities (IATA):	Y964
PCA limited quantity max net quantity (IATA)	30kgG
PCA packing instructions (IATA):	964
PCA max net quantity (IATA):	450L
CAO packing instructions (IATA):	964
CAO max net quantity (IATA):	450L
Special provision (IATA):	A97, A158, A197, A215
ERG code (IATA):	9L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
tris(4-tert-butylphenyl) phosphate	68937-40-6	Present	Active	TP
4-tert-Butylphenyl diphenyl phosphate	56803-37-3	Present	Active	TP
Triphenyl phosphate	115-86-6	Present	Active	TP

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### CANADA

#### tris(4-tert-butylphenyl) phosphate (68937-40-6)

Listed on the Canadian DSL (Domestic Substances List)

#### 4-tert-Butylphenyl diphenyl phosphate (56803-37-3)

Listed on the Canadian DSL (Domestic Substances List)

#### Triphenyl phosphate (115-86-6)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

**RADCOLUBE® FR457****MIL-H-19457D(SH) Hydraulic Fluid, Fire-Resistant, Non-Neurotoxic**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**National regulations****Triphenyl phosphate (115-86-6)**

Listed on INSQ (Mexican National Inventory of Chemical Substances)

**15.3. US State regulations**

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

**SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 04/09/2024


**Full text of H-phrases**

H227	Combustible liquid
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

NFPA health hazard 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity 0 - Material that in themselves are normally stable, even under fire conditions.

**Hazard Rating**

**Health** 1 Slight Hazard - Irritation or minor reversible injury possible

**Flammability** 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)

**Physical** 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular process or for any particular purpose. Such information stated is to the best of Radco's knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability, or completeness, purchasers, users and distributors are not relying on any promise, representation, or recommendation made by Radco, and Radco does not accept liability for any loss or damage that may occur from the use of this information. Final determination of suitability of any material is the sole responsibility of the user. All material should be used with caution to guard against unknown hazards. Although certain hazards are described herein, Radco does not guarantee that these are the only hazards that exist.