



RADCOLUBE® Fog Oil
Safety Data Sheet
MIL-PRF-12070E(1) Fog Oil

Issue date: 3/8/2016

Revision date: 9/22/2025

Supersedes: 3/8/2016

Version: 2.0

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Identification

Trade name	RADCOLUBE® Fog Oil
Chemical name	Distillates (petroleum), hydrotreated heavy naphthenic
Radco Product Code:	FOG OIL (16068-A)
Specification:	MIL-PRF-12070E(1) Fog Oil
Military Symbol:	SGF-2
NATO Code:	F-62
National Stock Number(s) (NSN):	9150-00-261-7895 55 Gallon Drum

1.2. Recommended use and restrictions on use

Use of the substance/mixture:	Fog oil covered by this specification is military unique. It will be used in military smoke generator to create smoke cloud to cover large areas for extended period of time to obscure personnel and equipment movement in the field. No other commercial specification is available to cover this military application.
-------------------------------	---

1.3. Supplier

Manufacturer

Radco Industries L.L.C.
CAGE Code 6ZS16
700 Kingsland Drive
Batavia, Illinois 60510
United States
T (630) 232-7966
www.radcoind.com

1.4. Emergency telephone number

Emergency number:	For Chemical Emergency Call CHEMTREC 24hr/day 7days/week Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)
-------------------	--

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Aspiration hazard, Category 1	H304	May be fatal if swallowed and enters airways.
Hazardous to the aquatic environment — Chronic Hazard, Category 4	H413	May cause long lasting harmful effects to aquatic life.
Full text of H statements : see section 16		

RADCOLUBE® Fog Oil
MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US):



Signal word (GHS US):

Danger

Hazard statements (GHS US):

H304 - May be fatal if swallowed and enters airways

H413 - May cause long lasting harmful effects to aquatic life

Precautionary statements (GHS US):

P273 - Avoid release to the environment.

P301+P310 - If swallowed: Immediately call a doctor.

P331 - Do NOT induce vomiting.

P405 - Store locked up.

P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

UVCB

Name

RADCOLUBE® Fog Oil

CAS-No.

64742-52-5

Name	CAS-No.	%	GHS US classification
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	100	Asp. Tox. 1, H304 Aquatic Chronic 4, H413

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general:

Call a physician immediately.

First-aid measures after inhalation:

Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact:

Wash skin with plenty of water. Take off contaminated clothing.

First-aid measures after eye contact:

Rinse eyes with water as a precaution.

First-aid measures after ingestion:

Do not induce vomiting. Call a physician immediately.

RADCOLUBE® Fog Oil
MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and Caution! Substance is absorbed through the skin.

symptoms:

Symptoms/effects after inhalation:	None under normal conditions.
Symptoms/effects after skin contact:	Harmful in contact with skin.
Symptoms/effects after eye contact:	None under normal conditions.
Symptoms/effects after ingestion:	Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media:	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard:	No fire hazard.
Explosion hazard:	No direct explosion hazard.
Hazardous decomposition products in case of fire:	Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions:	Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures:	Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
-------------------	--

6.1.1. For non-emergency personnel

Protective equipment:	Wear recommended personal protective equipment.
Emergency procedures:	Ventilate spillage area. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures:	Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

RADCOLUBE® Fog Oil
MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

6.3. Methods and material for containment and cleaning up

For containment: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up: Take up liquid spill into absorbent material.

Other information: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed: Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling: Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment.

Hygiene measures: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures: Keep in a cool, well-ventilated place away from heat.

Storage conditions: Store locked up.

Packaging materials: Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

RADCOLUBE® Fog Oil (64742-52-5)	
No additional information available	
Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)	
No additional information available	
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	5 mg/m ³ 8 Hours
USA - OSHA - Occupational Exposure Limits	
Local name	Oil mist, mineral
OSHA PEL TWA	5 mg/m ³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	5 mg/m ³ 10 Hours
NIOSH REL STEL	10 mg/m ³ 15 minutes

RADCOLUBE® Fog Oil

MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

8.2. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.
Environmental exposure controls: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Appearance:	Colorless liquid.
Color:	Colorless to light yellow
Odor:	Petroleum-like odor
Odor threshold:	No data available
pH:	No data available
Melting point:	No data available
Freezing point:	≤ -40 °C Pour point
Boiling point:	≥ 207 °C
Flash point:	> 160 °C Cleveland Open Cup Method
Relative evaporation rate (butyl acetate=1):	< 0.0372

RADCOLUBE® Fog Oil
MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Flammability:	Not applicable.
Vapor pressure:	< 0.1 hPa
Relative vapor density at 20°C:	0.81 – 0.97 Source: European Chemicals Agency, http://echa.europa.eu/
Relative density:	0.9
Density:	0.8983 g/ml
Solubility:	insoluble in water.
Partition coefficient n-octanol/water (Log Pow):	3.9 – 6 Source: IUCLID
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	20 mm ² /s at 40°C
Viscosity, dynamic:	No data available
Explosion limits:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

RADCOLUBE® Fog Oil
MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral):	Not classified
Acute toxicity (dermal):	Not classified
Acute toxicity (inhalation):	Not classified
Skin corrosion/irritation:	Not classified
Carcinogenicity:	Not classified (DMSO extract as measured by IP346 is less than 3%.; Based on available data, the classification criteria are not met).
Aspiration hazard:	May be fatal if swallowed and enters airways.
Viscosity, kinematic:	20 mm ² /s at 40°C
Potential Adverse human health effects and symptoms:	Caution! Substance is absorbed through the skin.
Symptoms/effects after inhalation:	None under normal conditions.
Symptoms/effects after skin contact:	Harmful in contact with skin.
Symptoms/effects after eye contact:	None under normal conditions.
Symptoms/effects after ingestion:	Risk of lung edema.
STOT-single exposure:	Not classified
STOT-repeated exposure:	Not classified
Reproductive toxicity:	Not classified

Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

LD50 oral rat:	> 5000 mg/kg body weight (OECD 401 method)
----------------	--

Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

Serious eye damage/irritation:	Not classified
--------------------------------	----------------

Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

Respiratory or skin sensitization:	Not classified
------------------------------------	----------------

Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

Germ cell mutagenicity:	Not classified
-------------------------	----------------

RADCOLUBE® Fog Oil (64742-52-5)

Additional data:	(AMES test, No carcinogenic effect)
------------------	-------------------------------------

IARC group:	Not classified
-------------	----------------

National Toxicity Program (NTP) Status:	Not classified
---	----------------

RADCOLUBE® Fog Oil (64742-52-5)

LOAEL (oral, rat, 90 days):	125 mg/kg body weight (OECD 408 method)
-----------------------------	---

NOAEL (dermal, rat/rabbit, 90 days):	≈ 1000 mg/kg body weight (OECD 410 method)
--------------------------------------	--

NOAEC (inhalation, rat, dust/mist/fume, 90 days):	> 0.98 mg/l Air (OECD 412 method)
---	-----------------------------------

RADCOLUBE® Fog Oil
MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)	
LOAEL (oral,rat,90 days):	125 mg/kg body weight (OECD 408 method)
NOAEC (inhalation,rat,dust/mist/fume,90 days):	> 0.98 mg/l Air (OECD 412 method)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general:	May cause long lasting harmful effects to aquatic life.
Ecology - air:	None of the known components is included in the list of substances which may contribute to the greenhouse effect (IPCC). None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014).
Ecology - water:	Groundwater pollutant. Severe water pollutant (surface water).

RADCOLUBE® Fog Oil (64742-52-5)	
LC50 - Fish [1]:	> 5000 mg/l Source: IUCLID
EC50 - Crustacea [1]:	> 1000 mg/l Source: IUCLID

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

RADCOLUBE® Fog Oil (64742-52-5)	
Partition coefficient n-octanol/water (Log Pow):	3.9 – 6 Source: IUCLID

Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)	
Partition coefficient n-octanol/water (Log Pow):	> 6

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation:	Disposal must be done according to official regulations.
Waste treatment methods:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations:	Disposal must be done according to official regulations.

RADCOLUBE® Fog Oil
MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Product/Packaging disposal recommendations:	Disposal must be done according to official regulations.
Additional information:	Do not re-use empty containers.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA / ICAO / ADN / RID / ADG

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT):	Not applicable
Proper Shipping Name (TDG):	Not applicable
Proper Shipping Name (IMDG):	Not applicable
Proper Shipping Name (IATA):	Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT):	Not applicable
-----------------------------------	----------------

TDG

Transport hazard class(es) (TDG):	Not applicable
-----------------------------------	----------------

IMDG

Transport hazard class(es) (IMDG):	Not applicable
------------------------------------	----------------

IATA

Transport hazard class(es) (IATA):	Not applicable
------------------------------------	----------------

14.4. Packing group

Packing group (DOT):	Not applicable
Packing group (TDG):	Not applicable
Packing group (IMDG):	Not applicable
Packing group (IATA):	Not applicable

14.5. Environmental hazards

Other information:	No supplementary information available.
--------------------	---

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

RADCOLUBE® Fog Oil
MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date: 09/22/2025

Full text of hazard classes and H-statements

H304	May be fatal if swallowed and enters airways
H413	May cause long lasting harmful effects to aquatic life

RADCOLUBE® Fog Oil
MIL-PRF-12070E(1) Fog Oil

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular process or for any particular purpose. Such information stated is to the best of Radco's knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability, or completeness, purchasers, users and distributors are not relying on any promise, representation, or recommendation made by Radco, and Radco does not accept liability for any loss or damage that may occur from the use of this information. Final determination of suitability of any material is the sole responsibility of the user. All material should be used with caution to guard against unknown hazards. Although certain hazards are described herein, Radco does not guarantee that these are the only hazards that exist.