



RADCOLUBE® CLP

SAFETY DATA SHEET

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS (CLP)

Issue Date: 17 February 2015

Revision Date: 16 July 2018

Revision Number:4.0

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name:

RADCOLUBE® CLP

Specifications:

MIL-PRF-63460F, TYPE A - Standard CLP

Qualification Number:

AR-16-10

Qualification Date:

3 October 2016

ISO 9001:2015 Certification Number:

C2018-00035

Military Symbol:

CLP

NATO Code:

S-758

National Stock Numbers (NSN):

9150-01-102-1473

9150-01-079-6124

9150-01-054-6453

9150-01-327-9631

9150-01-053-6688

0.5 oz. bottle with twist cap

4 oz. bottle with twist cap

1-pint bottle with trigger sprayer

1-liter bottle with trigger sprayer

1-gallon jug

1.2 Relevant identified uses of the substance or mixture and uses advised against

This product is for use in cleaning, lubricating and short-term preservation of small and large caliber military weapons, operating in the temperature range of -51°C to + 71°C (-60°F to +160°F).

1.3 Details of the supplier of the safety data sheet

Headquarters and Manufacturing Facility

Radco Industries, Inc.

700 Kingsland Drive

Batavia, IL 60510

CAGE Code 6ZS16



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February
Revision 2015
Date: 16 July 2018
Revision: 4.0

Customer information number: 1-630-232-7966

1.4 Emergency Telephone Number

Advisory Office in case of poisoning: Chemtrec
Chemtrec (North America): 1-800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Aquatic toxicity, acute hazards
Aquatic toxicity, chronic hazards
Aspiration hazard
Serious eye damage/eye irritation
Skin corrosion/irritation

Category 3
Category 4
Category 1
Category 1
Category 2

2.1 Label elements

Hazard pictograms:



Health Hazard



Corrosive

Signal word:

DANGER

Classification of mixture is in accordance with United Nations (UN) Globally Harmonized System of Classification and Labelling of Chemicals (GHS), sixth revised edition (2015), and United States Standard 29 CFR 1910 Occupational Safety and Health Standards.

Hazard statements

H304:	May be fatal if swallowed and enters airways.
H315:	Causes skin irritation.
H317:	May cause an allergic skin reaction.
H318:	Causes serious eye damage.
H413:	Harmful to aquatic life with long-lasting effects

Precaution statements

P101:	If medical advice is needed, have product container or label at hand.
P202:	Do not handle until all safety precautions have been read and understood.



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February
Revision 2015
Date: 16 July 2018
Revision: 4.0

P270:	Do not eat, drink or smoke when using this product.
P273:	Avoid release to the environment.
P280:	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P331 + P315:	IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Get immediate medical advice/attention.
P303 + P353:	IF ON SKIN (or hair): Rinse skin with water/shower.
P304 + P340 + P342 + P315:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms, get immediate medical advice/attention.
P305 + P351 + P338 + P310:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
P306 + P363:	IF ON CLOTHING: Wash contaminated clothing before reuse.
P404:	Store in a closed container.
P501:	Dispose of contents/container to in accordance with local/regional/national/international regulation.

2.2 Other hazards

PBT and vPvB

PBT and vPvB assessment is not available as chemical safety assessment has not been conducted.

NFPA Hazard ID

Health: 1
Flammability: 1
Reactivity: 0

HMIS Hazard ID

Health: 1
Flammability: 1
Reactivity: 0

SECTION 3. Composition/information on ingredients

3.1 Substances

1-Decene, homopolymer, hydrogenated

Index number:
CAS number:
EC number:
REACH number:
Synonyms:

Not available

68037-01-4

500-183-1

01-2119486452-34-XXXX

1-Decene, dimer, hydrogenated; Polyalphaolefin

Naphthalenesulfonic acid, dinonyl-, calcium salt

Index number:
CAS number:
EC number:
REACH number:

**SAFETY DATA SHEET****RADCOLUBE® CLP**

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February 2015
Revision: 2015
Date: 16 July 2018
Revision: 4.0

Synonyms:

Not available

57855-77-3

260-991-2

Not available

Calcium bis(dinonylnaphthalenesulphonate); calcium sulfonate

Other non-hazardous components

Index number:

CAS number:

EC number:

REACH number:

Synonyms:

Not available

Trade Secret

Trade Secret

Not available

Trade Secret

3.2 Mixtures**Description of mixture:**

Multicomponent mixture of synthetic base oils and additives.

Component	CAS Number	EC Number	%Content	Classification of Labeling	M-Factor
1-Decene, homopolymer, hydrogenated	68037-01-4	500-183-1	< 40%	Asp. Tox. 1 - H304	--
Naphthalenesulfonic acid, dinonyl-, calcium salt	57855-77-3	260-991-2	Trade Secret	Aquatic Acute 3 - H401 Eye Dam. 1 - H318 Skin Irrit. 2 - H315	0 -- --
Other non-hazardous components	Trade Secret	Trade Secret	Trade Secret	Non-hazardous	0

M-Factor determinations are in accordance with UN GHS, sixth revised edition (2015).

See SECTION 16 for full text of the toxicity categories and H-statements listed in this section.

Indicative occupational exposure limit values

Component	CAS Number	EC Number	Specific Concentration limits
1-Decene, homopolymer, hydrogenated	68037-01-4	500-183-1	None established
Naphthalenesulfonic acid, dinonyl-, calcium salt	57855-77-3	260-991-2	None established
Other non-hazardous components	Trade secret	Trade secret	None established

SECTION 4. FIRST AID MEASURES**4.1 Description of first aid measures**



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February

Revision 2015

Date:

16 July 2018

Revision: 4.0

Eye contact

Upon accidental eye exposure, wash the eyes promptly with water for at least 20 minutes. If wearing contact lenses, remove them if safe to do so, and continue washing. Get medical attention immediately.

Ingestion

If swallowed, do not induce vomiting. Rinse mouth out with water. Get medical attention immediately.

Inhalation

If respiratory irritation, dizziness, or nausea occurs, move to fresh air and keep at rest in a comfortable position for breathing. If symptoms persist or unconsciousness occurs, seek immediate medical assistance.

Skin contact

Wash skin thoroughly with mild soap and plenty of water for at least 20 minutes. If irritation develops, seek medical advice.

Note to physicians

Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

Acute symptoms

Eye exposure symptoms

Direct eye exposure may lead to redness and lacrimation (crying tears).

Ingestion symptoms

Insignificant amounts may cause nausea. Substantial amounts may lead to abdominal obstruction (cramps), constipation or diarrhea.

Inhalation symptoms

May cause irritation of the nose, throat, and lungs.

Skin exposure symptoms

Short-term exposure is not expected to cause irritation.

Delayed symptoms

Eye exposure symptoms

None expected, however seek medical attention if irritation persists.

Ingestion symptoms

None expected, however seek medical attention if abdominal obstruction, constipation or diarrhea persists.

Inhalation symptoms

None expected, however seek medical attention if respiratory irritation persists.

Skin exposure symptoms

Repeated exposure may lead to irritation. If rash develops, seek medical attention.

4.3 Indication of any immediate medical attention and special treatment needed

Suggestions for clinical testing and medical monitoring for delayed effects are not known. Use first aid when applicable, and seek guidance from a medical physician for specific treatment.

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media includes alcohol-resistant foam, carbon dioxide, dry chemical or water fog.



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February
Revision: 2015
Date: 16 July 2018
Revision: 4.0

5.2 Special hazards arising from the substance or mixture

No data is available.

5.3 Advice for firefighters

Fire-Fighting Equipment

Firefighter should wear normal protective equipment (full bunker gear) and positive-pressure contained breathing apparatus. Water can be used to cool fire-exposed containers, to protect personnel and to disperse vapors and spills. Water runoff can cause environmental damage. Dike and collect water used to fight fires.

Special Fire-Fighting Procedures

Use water spray to cool fire-exposed containers and structures. If a rail or tank truck is involved in a fire, isolate for 800 meters (0.5 mile) in all directions. Shut off fuel to fire if it is possible to do so without hazard. If this is impossible, withdraw from the area and let the fire burn out under controlled conditions. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tank due to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear personal protective equipment (PPE). Eliminate sources of ignition, if safe to do so. Avoid breathing vapors or mist. Evacuate to designated safe areas.

For emergency responders

If possible, move individual to safe area, and treat symptomatically.

6.2 Environmental precautions

Contain spill, if safe to do so. Prevent from entering sewers or drains.

6.3 Methods and material for containment and cleaning up

Use oil absorbent material to soak up product on the ground. Should this product enter sewers or drains, it should be pumped out into an open vessel. The recovered material should be discarded as hazardous waste.

6.4 Reference to other sections

If appropriate, refer to SECTION 8 and SECTION 13 for additional information.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Use personal protective equipment (PPE) when handling this product. Smoking, eating and drinking should be prohibited in the application area.

7.2 Conditions for safe storage, including any incompatibilities

Do not store in open or unlabeled containers. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

This product is for cleaning, lubricating and short-term preservation of small and large caliber weapons, operating in the temperature range of -51 to +71°C (-60 to +60°F).

SECTION 8.

8.1 Control parameters



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February

Revision 2015

Date: 16 July 2018

Revision: 4.0

Occupational exposure limits

None exposure limits have been established for any of the disclosed components.

Biological exposure limits

None established for any of the disclosed components.

8.2 Exposure controls

Appropriate engineering controls

Practice general industrial hygiene. Do not eat, drink or smoke near product. Wash hands after handling. Remove clothing and wash separate from other laundry.

Personal protective equipment (PPE)

Eye/face protection

Safety glasses, chemical safety goggles and/or face shields are recommended when handling this product.

Skin protection

For extended handling, wear oil resistant gloves such as neoprene. Nitrile gloves may be appropriate for short handling periods use. Contact a government approved or accredited manufacturer for specific recommendations.

Other protections

Wear protective clothing ensuring minimal skin exposure. Protective clothing should be chemically impervious to oils and other solvents.

Respiratory protection

Use with adequate ventilation. Avoid breathing vapor. If heated and ventilation is inadequate, use NIOSH certified respirator, which will protect against organic vapor.

Environmental exposure controls

Do not allow product to reach ground water, water course, or sewage systems. Stop leaks, if safe to do so. Contain spills with absorbent or adsorbent materials.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance:	Transparent, amber liquid.
Odor:	Petroleum fragrance
Odor threshold:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Evaporation Rate:	Not available
Explosive properties:	Not available
Flammability (solid, gas):	Non-flammable
Lower flammability limit:	Not available
Upper flammability limit:	Not available
Flash point Cleveland Open Cup (ASTM D92):	188°C (370°F)
Flash point Pensky-Martens (ASTM D93):	174°C (345°F)
Initial boiling point and boiling range:	> 350°C (662°F)
Melting point/freezing point:	< -63°C (-81.4°F)
Oxidizing properties:	Non-oxidizing
Partition coefficient (n-octanol/water), Log P _{ow} :	Not available
pH:	Not applicable
Relative density (ASTM D1298) 15.6°C/15.6°C (60°F/60°F):	0.91



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February

Revision 2015

Date: 16 July 2018

Revision: 4.0

Solubility in water:	Insoluble
Vapor density:	Not available
Vapor pressure:	< 0.01 mmHg at 20°C (68°F)
Viscosity (ASTM D445):	27 mm ² /s (cSt) at 20°C (68°F)

9.2 Other information

No further information is available.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Non-reactive in its original state.

10.2 Chemical stability

Stable in its original state.

10.3 Possibility of hazardous reactions

Does not occur.

10.4 Conditions to avoid

Oxidizing materials

10.5 Incompatible materials

Keep away from strong oxidizing or reducing agents, including acids, caustics, chlorites (bleach), halogens and peroxides.

10.6 Hazardous decomposition products

Decomposition of this product under fire conditions may produce carbon oxides, phenols, sulfur oxides, sulfates, and other decomposition products.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	Method	Species	Result
1-Decene, homopolymer, hydrogenated	Dermal	Rat	LD ₅₀ > 2000 mg/kg
	Inhalation	Rat	LC ₅₀ = 5.0 mg/L after 1 hour
	Oral	Rat	LD ₅₀ > 2000 mg/kg
Naphthalenesulfonic acid, dinonyl-, calcium salt	Dermal	Rat	LD ₅₀ > 10,000 mg/kg
	Inhalation	Rat	LC ₅₀ > 9000 mg/kg
	Oral	Rat	LD ₅₀ > 2500 mg/kg
Other non-hazardous components	--	--	Not expected to be hazardous.

Aspiration hazard	Test Method	Species	Result
1-Decene, homopolymer, hydrogenated	OECD 403	Rat	Aspiration hazard, Category 1
Naphthalenesulfonic acid, dinonyl-, calcium salt	--	--	No data available
Other non-hazardous components	--	--	No data available

Carcinogenicity	Results
1-Decene, homopolymer, hydrogenated	Not expected to be carcinogenic.
Naphthalenesulfonic acid, dinonyl-, calcium salt	Not expected to be carcinogenic.
Other non-hazardous components	Not expected to be carcinogenic.

**SAFETY DATA SHEET****RADCOLUBE® CLP**

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February

Revision 2015

Date: 16 July 2018

Revision: 4.0

Eye damage / irritation	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 405	Rabbit	Not irritating
Naphthalenesulfonic acid, dinonyl-, calcium salt	--	--	Causes serious eye damage.
Other non-hazardous components	--	--	Not expected to be hazardous.

Germ cell mutagenicity	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 471	<i>S. typhimurium</i>	Not mutagenic
Naphthalenesulfonic acid, dinonyl-, calcium salt	AMES Test	--	Not mutagenic
Other non-hazardous components	--	--	Not mutagenic

Reproductive toxicity	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 415	Rat	No reproductive harm
Naphthalenesulfonic acid, dinonyl-, calcium salt	--	--	No data available
Other non-hazardous components	--	--	Not expected to be hazardous.

Respiratory sensitization	Results
1-Decene, homopolymer, hydrogenated	No data available
Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	Not expected to be hazardous.

Skin sensitization	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 406	Guinea pig	Not sensitizing
Naphthalenesulfonic acid, dinonyl-, calcium salt	--	Human	Not sensitizing
Other non-hazardous components	--	--	Not sensitizing

Skin corrosion/irritation	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 404	Rabbit	Not irritating
Naphthalenesulfonic acid, dinonyl-, calcium salt	OECD 404	Rabbit	Irritant
Other non-hazardous components	--	--	Not expected to be hazardous.

Specific target organ toxicity (STOT)-repeated exposure	Results
1-Decene, homopolymer, hydrogenated	No data available
Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	Not expected to be hazardous.

Specific target organ toxicity (STOT)-single exposure	Results
1-Decene, homopolymer, hydrogenated	No data available
Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	Not expected to be hazardous.

11.2 Other information

See SECTION 16 for toxicity references.

SECTION 12. ECOLOGICAL INFORMATION



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February

Revision 2015

Date: 16 July 2018

Revision: 4.0

12.1 Toxicity

Aquatic Toxicity	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 203 OECD 211 DIN 38412-8	<i>D. magna</i> <i>O. mykiss</i> <i>P. putida</i>	NOEL = 125 mg/L after 21 days LL ₅₀ > 1000g/L after 96 hours EC ₅₀ > 10g/L after 16 hours
Naphthalenesulfonic acid, dinonyl-, calcium salt	-- -- --	<i>Algae</i> <i>Daphnia</i> <i>Fish</i>	NOEC > 0.27 mg/L after 72 hours EC ₅₀ > 0.27 mg/L after 48 hours LC ₅₀ > 0.28 mg/L after 96 hours
Other non-hazardous components	--	--	Not expected to be hazardous.

Terrestrial Toxicity	Test Method	Species	Results
1-Decene, homopolymer, hydrogenated	OECD 222	<i>Earthworm</i>	LC50 > 1000 mg/kg after 56 days
Naphthalenesulfonic acid, dinonyl-, calcium salt	--	--	No data available
Other non-hazardous components	--	--	Not expected to be hazardous.

12.2 Persistence and degradability

Biodegradation	Test Method	Results
1-Decene, homopolymer, hydrogenated	OECD 301B	Not readily biodegradable
12. Naphthalenesulfonic acid, dinonyl-, calcium salt	--	Not readily biodegradable
Other non-hazardous components	--	No data available

accumulative potential

Bioconcentration Factor (BCF)	Results
1-Decene, homopolymer, hydrogenated	No data available
Partition Coefficient n-octanol / water (Log K _{ow})	Results
1-Decene, homopolymer, hydrogenated	Log K _{ow} = 10.09
12. Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	No data available

bility in soil

Soil Mobility	Results
1-Decene, homopolymer, hydrogenated	No data available
12. Naphthalenesulfonic acid, dinonyl-, calcium salt	No data available
Other non-hazardous components	No data available

sults of PBT and vPvB assessment

Chemical	Results
1-Decene, homopolymer, hydrogenated	The substance is not PBT / vPvB.
12. Naphthalenesulfonic acid, dinonyl-, calcium salt	The substance is not PBT / vPvB.
Other non-hazardous components	No data available

her adverse effects

No further information is available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

B
i
o

M
o

R
e

O
t



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February
Revision 2015
Date: 16 July 2018
Revision: 4.0

This unused material, when discarded or disposed of, is not specifically listed as a hazardous waste in Federal regulations; however, it could be considered hazardous if it meets U.S. EPA (40 CFR Subpart C) criteria for being toxic, corrosive, ignitable, or reactive. This material could also become hazardous waste if it is mixed with or meets a listed hazardous waste. If it is a hazardous waste, regulations in 40 CFR 262-266, 268, 270, and 279 may apply.

SECTION 14. TRANSPORTATION INFORMATION

14.1 UN Number

Not regulated

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

May be harmful to aquatic environment with long-lasting effects.

14.6 Special precautions for user

See SECTION 2 for special precautions.

14.7 Transport in bulk per Annex II of MARPOL73/78 and the IBC Code

--

14.8 Other transport information

Canada Transport - Transportation of Dangerous Goods (TDG)

Not regulated

International Air Transport Association (IATA)

Not regulated

International Carriage of Dangerous Goods by Inland Waterways (AND)

Not regulated

International Carriage of Dangerous Goods by Rail (RID)

Not regulated

International Carriage of Dangerous Goods by Road (ADR)

Not regulated

International Civil Aviation Organization (ICAO)

Not regulated

International Maritime Dangerous Goods Code (IMDG Code)

Not regulated

United States Department of Transportation (DOT)

Not regulated

SECTION 15. REGULATORY INFORMATION



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February
Revision 2015
Date: 16 July 2018
Revision: 4.0

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australia Inventory (AICS)

All the ingredients are listed.

California Proposition 65

This product does not contain any chemicals known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Canadian Domestic Substances List/Non-Domestic Substances List (DSL/NDSL)

All the ingredients are listed.

China Inventory of Existing Chemical Substances (IECSC)

All the ingredients are listed.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Reportable Quantity

This product is not reportable under 40 CFR Part 302.4.

International Agency for Research on Cancer (IARC)

None of the ingredients are listed.

Japan Existing and New Chemical Substances (ENCS)

All the ingredients are listed.

Korean Existing and Evaluated Chemical Substances (KECL)

All the ingredients are listed.

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All the ingredients are listed.

SARA Title III Section 302 Extremely Hazardous Substances (40 CFR Part 355)

This product is not regulated under Section 302 of SARA and 40 CFR Part 355.

SARA Title III Section 313 (40 CFR Part 372)

This product is not regulated under Section 313 of SARA and 40 CFR Part 372.

SARA Title III Sections 311/312 Hazardous Categorization (40 CFR Part 370)

Hazardous categories for this product are:

Acute =	Chronic =	Fire =	Pressure =	Reactive =
Yes	No	No	No	No

United States Toxic Substances Control Act (TSCA)

All the ingredients are listed.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been conducted.

SECTION 16. OTHER INFORMATION

Safety Data Sheet Creation Date:

17 February 2015

Safety Data Sheet Revision Date:

16 July 2018

Revision Number:

4.0

THIS INFORMATION RELATES TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE (CLP)

Issue Date: 17 February
Revision 2015
Date: 16 July 2018
Revision: 4.0

MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. SUCH INFORMATION STATED IS TO THE BEST OF RADCO'S KNOWLEDGE AND BELIEF, ACCURATE AND RELIABLE AS OF THE DATE COMPILED. HOWEVER, NO REPRESENTATION, WARRANTY OR GUARANTEE IS MADE TO ITS ACCURACY, RELIABILITY, OR COMPLETENESS, AND RADCO DOES NOT ACCEPT LIABILITY FOR ANY LOSS OR DAMAGE THAT MAY OCCUR FROM THE USE OF THIS INFORMATION. FINAL DETERMINATION OF SUITABILITY OF ANY MATERIAL IS THE SOLE RESPONSIBILITY OF THE USER. ALL MATERIAL SHOULD BE USED WITH CAUTION TO GUARD AGAINST UNKNOWN HAZARDS. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, RADCO DOES NOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

RADCOLUBE® is a registered trademark of Radco Industries, Inc.

Toxicological References

"Calcium bis(dinonylnaphthalenesulphonate)." *National Center for Biotechnology Information. PubChem Compound Database.* U.S. National Library of Medicine, 8 Aug. 2005. Web. 11 Apr. 2017.

"Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated." *Registration Dossier - ECHA.* European Chemicals Agency, [no date]. Web. 11 Apr. 2017.

"Notified classification and labelling according to CLP criteria of Calcium bis(dinonylnaphthalenesulphonate), CAS 57855-77-3." *Notification Details - CL Inventory.* European Chemicals Agency, [no date]. Web. 11 Apr. 2017.

Definitions

Asp. Tox. 1

See *Aspiration hazard, category 1 definition.*

Aspiration hazard, category 1

Hydrocarbons with kinematic viscosity ≤ 20.5 mm²/s.

EC number

European Community number

EC50

Concentration that effects 50% of the test population.

EU

European Union

Eye Dam. 1

See *Serious Eye Damage, Category 1 for definition.*

H304

May be fatal if swallowed and enters airways.

H315

Causes skin irritation.

H318

Causes serious eye damage.

H401

Toxic to aquatic life.

HMIS

Hazardous Materials Identification System

LC50

Lethal concentration that causes 50% death in test population.

LD50

Lethal dose that causes 50% death in test population.

LL50

Loading test rate that causes 50% death in test population.

M-Factor

Multiplying factor for substances that are toxic to aquatic environment.

NFPA

National Fire Protection Association

NOAEL

No observed adverse effect level

OECD

Organisation for Economic Co-operation and Development

OECD 222

OECD Guideline 222: Earthworm Reproduction Test (*Eisenia fetida/Eisenia andrei*)



SAFETY DATA SHEET

RADCOLUBE® CLP

MIL-PRF-63460F, TYPE A - STANDARD CLEANER, LUBRICANT, AND PRESERVATIVE
(CLP)

Issue Date: 17 February
Revision 2015
Date: 16 July 2018
Revision: 4.0

OECD 301B

OECD Guideline 301 B: (Ready Biodegradability: CO2 Evolution Test)

OECD 403

OECD Guideline 403: Acute Inhalation Toxicity

OECD 404

OECD Guideline 404: Acute Dermal Irritation/Corrosion Test

OECD 405

OECD Guideline 405: Acute Eye Irritation/Corrosion Test

OECD 406

OECD Guideline 406: Skin Sensitization Test

PBT

Persistence Bioaccumulation and Toxicity

Serious eye damage, Category 1

A material that causes corneal opacity, iritis, conjunctival redness or conjunctival edema and does not fully reverse after 21 days.

Skin corrosion/irritation, Category 2

Inflammation, alopecia (limited area), hyperkeratosis, hyperplasia, and scaling that fully reverses after 14 days.

Skin Irrit. 2

See Skin corrosion/irritation, Category 2 for definition.

UN

United Nations

US

United States of America

vPvB

Very persistent and very bioaccumulative